



## damage

Larval feeding results in:

- Reduced yield (1st cutting)
- Reduced plant vigor
- Delayed regrowth
- Decreased stand density



For more info, contact **Tatyana Rand** at 406-433-9439 or by email at [tatyana.rand@ars.usda.gov](mailto:tatyana.rand@ars.usda.gov)



### USDA-ARS Northern Plains Agricultural Research Laboratory

Agricultural Systems Research Unit  
Pest Management Research Unit

United States Department of Agriculture  
Agricultural Research Service

1500 N. Central Ave., Sidney, Montana 59270  
[www.ars.usda.gov/npa/nparr](http://www.ars.usda.gov/npa/nparr) • 406-433-2020 • fax 406-433-5038

As the principal in-house research arm of the U.S. Department of Agriculture, ARS conducts research to develop and transfer solutions to agricultural problems of high national priority and provides information access and dissemination to:

- Ensure high quality, safe food and other agricultural products
- Assess the nutritional needs of Americans
- Sustain a competitive agricultural economy
- Enhance the national resource base and the environment, and
- Provide economic opportunities for rural citizens, communities, and society as a whole.

For more information about ARS, visit the web site at <http://www.ars.usda.gov/>



The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, or marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Office of Civil Rights, Room 326-W, Whitten Building, 1400 Independence Avenue SW, Washington, D.C. 20250-9410 or call 202-720-5964 (Voice and TDD). USDA is an equal opportunity provider and employer.

# Alfalfa Weevil

*Hypera postica*



**SUMMER, FALL & WINTER**

Adults overwinter in litter, lay eggs in spring

1-2 weeks



**SPRING**

**LATE SPRING, SUMMER**



3-4 weeks

**life stages**

